

Early Journal Content on JSTOR, Free to Anyone in the World


This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.


Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.


Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.


JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.





Philosoph. Transact. Numb. 33 6.





IX. Part of a Letter from Mr. Brook Taylor, F. R. S. to Dr. Hans Sloane R. S. Secr. Concerning the Ascent of Water between two Glass Planes.

HE following Experiment seeming to be of use, in discovering the Proportions of the Attractions of Fluids, I shall not forbear giving an Account of it; tho' I have not here Conveniencies to make it in so successful a manner, as I could wish.

I fasten'd two pieces of Glass together, as stat as I could get; so that they were inclined in an Angle of about 2 Degrees and a half. Then I set them in Water, with the contiguous Edges perpendicular. The upper part of the Water, by rising between them, made this Hyperbola; [See Fig. 5.] which is as I copied it from the Glass.

I have examined it as well as I can, and it feems to approach very near to the common Hyperbola. But my Apparatus was not nice enough to discover this exactly.

The Perpendicular Assymptote was exactly determined by the Edge of the Glass; but the Horizontal one I could not so well discover. I am,

Sir,

Bifrons near Canterbury, June 25. 1712.

Your most bumble Servant,

BROOK TAYLOR.